



# HP Color LaserJet Enterprise M751 Printer series

Count on productivity, premium quality, maximum uptime, and the strongest security<sup>1</sup>

HP LaserJet printers power office productivity with a smart, streamlined design that's reliable and hassle-free. Count on premium quality, maximum uptime, and the strongest security<sup>1</sup>—all intended to drive successful organizations forward.



HP Color LaserJet Enterprise M751n



HP Color LaserJet Enterprise M751dn

## Professional color printing

- Print premium, professional-quality documents with vivid color images and graphics.
- Special print mode for a wider color range, an extra level of vividness for documents and marketing materials.
- Consistent professional quality and performance - Original HP Toner cartridges with JetIntelligence and drums.
- Look professional on every page with vibrant, high-quality color prints that stand the test of time.

## Minimal interruptions. Maximum productivity.

- Change the toner and drum in seconds. Both are easily accessible and come already installed out of the box.
- Avoid interruptions with an HP LaserJet printer designed for maximum productivity.
- Tailor this printer to meet the needs of your business with a wide range of paper-handling accessories.
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast—up to 40 ppm.<sup>2</sup>


## The world's most secure printing<sup>1</sup>

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks
- Firmware is automatically checked during startup to determine if it's authentic code—digitally signed by HP.

## Product walkaround



**HP Color LaserJet Enterprise M751 dn**



**Rear I/O panel closeup**

## Series at a glance



M751n (T3U43A)



M751dn (T3U44A)

Model (product number)	M751n (T3U43A)	M751dn (T3U44A)
Print speed (A4, black and colour) <sup>4</sup>	Up to 41 pages per minute (ppm) (both models)	
Media sizes supported	Multipurpose tray 1: Up to 305 x 457 mm and SRA3 Tray 2: Up to A3	
Automatic two-sided printing	Not available	✓
100-sheet multipurpose tray 1, 550-sheet tray 2	✓	✓
Optional input accessories Add up to two: 1x550-sheet paper tray; Add up to one: 2x550-sheet paper tray and stand, 2,700-sheet high-capacity input paper tray and stand, or Cabinet stand	✓	✓
Input capacity (standard/maximum) <sup>5</sup>	Up to 650 sheets/4,450 sheets (both models)	
Recommended monthly page volume <sup>6</sup>	Up to 40,000 pages (both models)	
Cartridge yields <sup>7</sup> (A/X)	Black: ~7,000/33,000 pages; Colour: ~6,000/28,000 pages (both models)	
Optional HP High-Performance Secure Hard Disk	✓	✓
Optional wireless networking <sup>8</sup> /NFC touch-to-print/Bluetooth <sup>®</sup> Low Energy <sup>9</sup>	✓	✓

<sup>1</sup> Automatic two-sided printing is not available on the HP Color LaserJet Enterprise M751n model.

<sup>2</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. The HP Color LaserJet Enterprise M751 series comes with a second-generation HIP.

<sup>3</sup> An administrator must enable the easy-access USB port before use.

<sup>4</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see [hp.com/go/printerclaims](http://hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>5</sup> Selection of optional paper-handling accessories required to reach maximum input capacity.

<sup>6</sup> Recommended Monthly Page Volume (RMPV): HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

<sup>7</sup> Average black declared yields based on ISO/IEC 19752 and continuous printing. Average colour composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see [hp.com/go/learnaboutsups](http://hp.com/go/learnaboutsups).

<sup>8</sup> Both models can add wireless networking with selection of the optional HP Jetdirect 2900nw Print Server (J8031A). If selected, you cannot also select the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A). Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections.

<sup>9</sup> Bluetooth<sup>®</sup> and touch-to-print capabilities are optional for both models and can be added by selecting the optional HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A). If selected, you cannot also select the HP Jetdirect 2900nw Print Server (J8031A). Mobile device must support Near-Field Communication (NFC)-enabled printing. For more information, see [hp.com/go/businessmobileprinting](http://hp.com/go/businessmobileprinting).

## HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

**Optimized Care (optimum performance and stability):**

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

**Standard Care (high level of uptime):**

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

**Basic Care (minimum recommended support):**

Next Business Day Onsite Support

**4 hour Onsite Support:**

Onsite support within four hours after a service call received within the coverage window

**Next Business Day Onsite Support:**

Onsite service the next business day after the service call is received

**Maintenance Kit Replacement Service:**

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

**Installation with Network Configuration Service:**

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit [hp.com/go/printservices](http://hp.com/go/printservices)



Windows 10



HP Care Pack

## Top features

Expect premium marketing materials and professional-quality documents with vivid color images and graphics. Built for great color performance with an enhanced print mode and a toner formula designed for consistent quality and brilliant color output.

Annoying interruptions and complex maintenance can slow down printing and the pace of business. Avoid pauses in productivity with an HP LaserJet Printer designed for maximum uptime, so you can count on reliable results day in and day out.

HP printers have the industry's strongest security<sup>1</sup> because they're always on guard, continually detecting and stopping threats while adapting to new ones. And only HP printers automatically self-heal from attacks, so IT doesn't need to intervene.

**Product**

T3U43A	HP Color LaserJet Enterprise M751n
T3U44A	HP Color LaserJet Enterprise M751dn

**Accessories**

3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
B5L28A	HP Internal USB Ports
B5L29A	HP High-Performance Secure Hard Disk
B5L31A	HP Foreign Interface Harness
E5K48A	HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
E5K49A	HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM
J8031A	HP Jetdirect 2900nw Print Server
T3V27A	HP LaserJet 550-sheet Paper Tray
T3V28A	HP LaserJet Printer Stand
T3V29A	HP Color LaserJet 2x550-sheet Feeder and Stand
T3V30A	HP LaserJet 2700-sheet High Capacity Paper Tray and Stand
X3D03A	HP Universal USB Proximity Card Reader

**Supplies**

W2000A	HP 658A Black Original LaserJet Toner Cartridge (7,000 pages)
W2000X	HP 658X High Yield Black Original LaserJet Toner Cartridge (33,000 pages)
W2001A	HP 658A Cyan Original LaserJet Toner Cartridge (6,000 pages)
W2001X	HP 658X High Yield Cyan Original LaserJet Toner Cartridge (28,000 pages)
W2002A	HP 658A Yellow Original LaserJet Toner Cartridge (6,000 pages)
W2002X	HP 658X High Yield Yellow Original LaserJet Toner Cartridge (28,000 pages)
W2003A	HP 658A Magenta Original LaserJet Toner Cartridge (6,000 pages)
W2003X	HP 658X High Yield Magenta Original LaserJet Toner Cartridge (28,000 pages)
W2004A	HP 660A Original LaserJet Imaging Drum (65,000 pages)

**HP Care Packs**

UB5C3E	HP 3 year Next Business Day w/DMR Service for Color LaserJet M751
UB5C4E	HP 4 year Next Business Day w/DMR Service for Color LaserJet M751
UB5C5E	HP 5 year Next Business Day w/DMR Service for Color LaserJet M751
UB5C6E	HP 3 year 4 hour 9x5 w/DMR Service for Color LaserJet M751
UB5C7E	HP 4 year 4 hour 9x5 w/DMR Service for Color LaserJet M751
UB5C8E	HP 5 year 4 hour 9x5 w/DMR Service for Color LaserJet M751

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to [hp.com/go/cpc](http://hp.com/go/cpc)

**Paper**

Contact HP via phone: Asia: 65 6253 8500

**Solutions**

- HP Web Jetadmin: [hp.com/go/wja](http://hp.com/go/wja)
- HP Universal Print Driver: [hp.com/go/upd](http://hp.com/go/upd)
- HP Imaging and Printing Security Center: [hp.com/go/ipsc](http://hp.com/go/ipsc)

## HP Color LaserJet Enterprise M751 Printer series

<b>Model</b>	HP Color LaserJet Enterprise M751n	HP Color LaserJet Enterprise M751dn
<b>Product number</b>	T3U43A	T3U44A
<b>Functions</b>	Print	
<b>Print</b>		
<b>Duplex print options</b>	Manual (driver support provided)	Automatic (standard)
<b>Print speed<sup>16</sup></b>	<b>Black (A4, normal):</b> Up to 41 ppm; <b>Black (letter, normal):</b> Up to 40 ppm; <b>Black (A4, duplex):</b> Up to 41 ipm; <b>Black (letter, duplex):</b> Up to 40 ipm <b>Color (A4, normal):</b> Up to 41 ppm; <b>Color (letter, normal):</b> Up to 40 ppm; <b>Color (A4, duplex):</b> Up to 41 ipm; <b>Color (letter, duplex):</b> Up to 40 ipm	
<b>First page out<sup>17</sup></b>	<b>Black (A4, ready):</b> As fast as 5.7 sec; <b>Colour (A4, ready):</b> As fast as 6.1 sec; <b>Black (A4, sleep):</b> As fast as 11.5 sec; <b>Colour (A4, sleep):</b> As fast as 11.5 sec	
<b>Print technology</b>	Laser	
<b>Print resolution</b>	<b>Black (best):</b> Up to 600 x 600 dpi; <b>Black (normal):</b> Up to 600 x 600 dpi; <b>Black (fine lines):</b> Up to 1200 x 1200 dpi <b>Colour (best):</b> Up to 600 x 600 dpi; <b>Colour (normal):</b> Up to 600 x 600 dpi; <b>Colour (fine lines):</b> Up to 1200 x 1200 dpi	
<b>Print resolution technology</b>	HP ImageREt 4800, Enhanced (600x600 dpi), Fine Lines (1200x1200 dpi), Quickview (300x300 dpi)	
<b>Print cartridges number</b>	4 toner cartridges (1 each for black, cyan, magenta, yellow)	
<b>Standard print languages</b>	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™	
<b>Printer management</b>	HP Printer Assistant; HP Utility (Mac); HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility – Driver Deployment Utility – Managed Printing Administrator)	
<b>Connectivity</b>		
<b>Standard connectivity</b>	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HIP2)	
<b>Mobile printing capability</b>	HP ePrint; Apple AirPrint™; Mopria™ Certified; Google Cloud Print™; HP Roam	
<b>Wireless capability</b>	Optional, enabled with purchase of a hardware accessory, HP Jetdirect 2700w USB Wireless Print Server J8026A	
<b>Network capabilities</b>	Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional)	
<b>Memory<sup>8</sup></b>	<b>Standard:</b> 1.5 GB; <b>Maximum:</b> 2 GB	
<b>Hard disk</b>	Optional 500 GB HDD: HP Secure High Performance Hard Disk drive 500 GB B5L29A; HP FIPS-140-2 Secure Hard Disk Drive 5EL03A	
<b>Processor speed</b>	1.2 GHz	
<b>Duty cycle (monthly)<sup>13</sup></b>	Up to 150,000 pages; <b>Recommended monthly page volume<sup>14</sup>:</b> Up to 40,000	
<b>Paper handling</b>		
<b>Input</b>	100-sheet multipurpose tray, 550-sheet input tray	
<b>Output</b>	250-sheet output bin	
<b>Media types</b>	Paper (plain, heavy, extra heavy, glossy, light, recycle, tough), envelopes, labels, glossy film, cardstock, transparencies	
<b>Media weight</b>	Tray 1: 60 to 300 g/m <sup>2</sup> ; Tray 2: 60 to 256 g/m <sup>2</sup> ; Optional Tray 3,4,5,6: 60 to 256 g/m <sup>2</sup> ; Optional HCI feeder stand: 60 to 256 g/m <sup>2</sup>	
<b>Media Sizes Custom</b>	Tray 1: 64 x 127 to 320 x 457.2 mm; Tray 2: 148 x 148 to 297 x 431.8 mm; Optional tray 3, 4, 5, 6: 148 x 148 to 320 x 457.2 mm	
<b>Dimensions (w x d x h)<sup>10</sup></b>	556 x 589 x 399 mm	
<b>Weight</b>	45.1 kg	
<b>What's in the box<sup>1</sup></b>	HP Color LaserJet Enterprise M751n printer; (1 each, Black, Cyan, Yellow, Magenta); Documentation only CD; Guide: Getting started Guide; 1 Power cord	HP Color LaserJet Enterprise M751dn printer; (1 each, Black, Cyan, Yellow, Magenta); Documentation only CD; Guide: Getting started Guide; 1 Power cord
<b>Software included</b>	No software solutions are included in the Box, only on <a href="http://hp.com">http://hp.com</a> , <a href="http://123.hp.com">http://123.hp.com</a> ;	
<b>Warranty features</b>	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to <a href="http://hp.com/support">hp.com/support</a> to learn about HP award winning service and support options in your region. (Warranty Code 4G; Warranty ID A001)	
<b>Systems</b>		
<b>Compatible operating systems<sup>15</sup></b>	Windows Client OS (32/64 bit), Windows 10, Windows 8.1, Windows 8 Basic, Windows 8 Pro, Windows 8 Enterprise, Windows 8 Enterprise N, Windows 7 Starter Edition SP1, UPD Windows 7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to <a href="http://support.hp.com">http://support.hp.com</a> . Enter your product name and search. Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see <a href="http://www.hp.com/go/upd">www.hp.com/go/upd</a>	
<b>Minimum system requirements</b>	<b>PC:</b> 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see <a href="http://microsoft.com">microsoft.com</a> ;; <b>Mac:</b> 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see <a href="http://apple.com">apple.com</a> ;	
<b>Security management</b>	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in	
<b>Fonts and typefaces</b>	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://hp.com/go/laserjetfonts">hp.com/go/laserjetfonts</a>	
<b>Control panel</b>	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad	
<b>Display</b>	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad	
<b>Power</b>	<b>Power supply type:</b> Built-in 115V or 220V Power Supply; <b>Power supply required:</b> Input voltage: 100 V to 127 V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 12 A; Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 6 A; <b>Power consumption<sup>3</sup>:</b> 870 watts (max. printing), 850 watts (typical printing) 48 watts (Ready), 0.6 watts (Sleep), 0.6 watts (HP Auto-Off/Auto On), 0.08 watts (Auto-Off), 0.08 watts (Off); <b>Typical Electricity Consumption number<sup>4</sup>:</b> 1.93 kWh/Week (BA), 1.91 kWh/Week (ES)	
<b>Acoustics</b>	<b>Acoustic power emissions<sup>12</sup>:</b> 6.6 B(A) ; <b>Acoustic power emissions (ready):</b> 4.5 B(A) ; <b>Acoustic pressure emissions bystander (active, printing):</b> 51 dB(A) ; <b>Acoustic pressure emissions bystander (ready):</b> 30 dB(A)	
<b>Environmental ranges</b>	<b>Operating temperature range:</b> 10 to 32.5°C ; <b>Recommended operating temperature:</b> 15 to 27°C ; <b>Operating humidity range:</b> 10 to 80% RH ; <b>Recommended operating humidity range:</b> 30 to 70% RH	
<b>Safety approvals and requirements</b>	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.	
<b>Supported network protocols</b>	IPv4/IPV6; Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, FTPT, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLIP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print	

## Footnotes

<sup>1</sup> Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://hp.com/go/PrintersThatProtect>. For more information: <http://hp.com/go/printersecurityclaims>

<sup>2</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

## Technical specifications disclaimers

<sup>1</sup> Standard cartridges included; yields 7,000 black and 6,000 color composite (C/M/Y) pages. Drums included; yields 65,000 black and color pages. Average black declared yields based on ISO/IEC 19752 and continuous printing. Average color composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

<sup>2</sup> With print cartridges.

<sup>3</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 V device.

<sup>4</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.

<sup>5</sup> Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.

<sup>6</sup> Average black declared yields based on ISO/IEC 19752 and continuous printing. Average color composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

<sup>7</sup> Average black declared yields based on ISO/IEC 19752 and continuous printing. Average color composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

<sup>8</sup> The Configuration Pages will report maximum memory at 2 GB after 1 GB DIMM installed. This is an expected behavior of this product.

<sup>9</sup> With print cartridges.

<sup>10</sup> Without paper trays extended.

<sup>11</sup> With print cartridges.

<sup>12</sup> Acoustic values are subject to change. For current information see <http://www.hp.com/support>. Configuration tested: base model, simplex printing, A4 paper at an average of 41 ppm.

<sup>13</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

<sup>14</sup> HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

<sup>15</sup> Solution software available on [123.hp.com](http://123.hp.com)

To learn more, visit <http://www.hp.com>

