

HP DesignJet T830 24-in Multifunction Printer

The smart choice for architecture and construction offices ready to evolve



CONVENIENT—Fast, agile, intuitive print/scan/copy

- Print documents fast—up to 26 seconds for A1/D-size prints¹
- Enjoy easy installation in the office, construction job site with the most compact large-format MFP²
- Easily print project sets and PDF documents with HP Click printing software.
- Anyone can print smoothly from a smartphone or tablet with HP Mobile Printing³

TRUSTED—HP DesignJet quality and reliability

- Get HP DesignJet quality also in smallformat sizes—print half-size documents with 50-sheet A4/A3 input tray
- Achieve precise lines up to 0.1% line accuracy⁴, up to 2400 dpi, and high contrast—HP Bright Office Inks
- Smart scanning technology protects originals from damage when scanning and obtains precise colors
- Reinforced design and strong legs for easy transport and use at the job site

COMMUNICATION—Immediately share meeting results

- Use built-in scanner to copy and distribute sketches and hand-annotated drawings to peers/partners right away
- Easily link your computer, smartphone, or tablet to the printer with Wi-Fi Direct
- Share drawings immediately—scan/ email from front panel, use HP Smart app⁵ to email contacts, post to cloud
- No learning curve—with the intuitive design of a single touchscreen, you can scan, copy, and share instantly

Dynamic security enabled printer. Cartridges using a non-HP chip might not work and those that work today might not work in the future. More at: hp.com/go/learnaboutsupplies

For more information, please visit hp.com/go/designjetT830

- ¹ The HP Design Jet T830 24-in Printer prints documents up to 25% faster compared to the HP Design Jet T520 24-inch Printer. Mechanical printing time, printed in Fast mode with Economode on, using HP Bright White Inkjet Paper (bond) and Original HP Bright Office Inks.
- ² The HP Design Jet T830 24-inch and 36-inch Multifunction Printers are the most compact large-format devices performing print/scan/copy functions based on H x W x L specifications published as of May, 2017.
- ³ Local printing requires mobile device and printer to be on the same network (usually Wi-Fi access points bridge wireless to wired connections) or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an internet connection to an HP web-connected printer. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in a great part of the details.
- 4 +/-0.1% of the specified vector length or +/-0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A1/D HP printing material in Best mode with HP Heavyweight roll feed and Original HP Bright Office Inks
- 5 The HP Smart app is available for Apple® iPad, iPhone, and iPod Touch running iOS v7.0 or later and for Android™ mobile devices running Android™ v4.4 or later. The HP Smart app is available for free from the Apple® App Store for Apple® mobile devices and from the Google Play Store for Android™ mobile devices.

Technical specifications

Print	Line drawings ⁶	26 sec/page on A1/D, 81 A1/D prints per hour
	Print resolution	Up to 2400 x 1200 optimized dpi
	Margins (top x	ор to 2400 x 1200 орtimized арі
	bottom x left x right)	Roll: 5 x 5 x 5 x 5 mm (0.2 x 0.2 x 0.2 x 0.2 in) Sheet: 5 x 5 x 5 x 5 mm (0.2 x 0.2 x 0.2 x 0.2 in)
	Ink types	Dye-based (C, M, Y); pigment-based (mK)
	Printheads	1 (C, M, Y, mK)
	Line accuracy	+/- 0.1%7
	Minimum line width	0.02 mm (0.0008 in)
	Guaranteed minimum line width	0.07 mm (0.0028 in) (ISO/IEC 13660:2001(E)) ⁸
Media	Handling	Sheet feed, roll feed, input tray, media bin, automatic cutter
	Size	Rolls: 279 to 610 mm (11 to 24 in) Sheets: 210 x 279 to 610 x 1897 mm (8.3 x 11 to 24 x 74.7 in) Standard sheets: A4, A3, A2, A1 (A, B, C, D)
	Thickness	Up to 0.3 mm (11.8 mil)
Scan	Scan speed	Color: up to 3.81 cm/sec (1.5 in/sec) Grayscale: up to 11.43 cm/sec (4.5 in/sec)
	Scan/copy resolution	600 dpi
	Maximum scan	Size: 610 mm x 2.77 m (24 x 109 in)
		Thickness: 0.8 mm (0.03 in)
Сору	Reduction/ enlargement	50 to 400%
	Maximum copies	Up to 99 copies
	Copier settings	Content type, Lighter/Darker, Background noise removal, Background color removal, Blue print invert, Translucent media, Color, Scan full width (24-in), Auto De-skew, Resize, Copy Margins, Quality
Applications	Line drawings, Re	nderings, Presentations
Memory	1 GB	
Connectivity	Interfaces (standard)	Gigabit Ethernet (1000Base-T); Wi-Fi 802.11b/g/n; Wi-Fi Direct
	Print languages (standard)	TIFF, JPEG, CALS G4, HP PCL 3 GUI, HP-GL/2, HP-RTL, URF
	Printing paths Mobile printing	Windows and Mac printer drivers, Apple AirPrint, HP Print Service Plugin for Android, HP Print for Chrome app for Chrome OS
	capability features	Direct print for mobile apps for iOS, Android and Chrome OS; email printing with HP ePrint and HP Smart app for iOS and Android
	Drivers (included)	Raster driver for Windows and macOS; HP-GL/2, HP-RTL drivers for Windows
Dimensions (w x d x h)	Printer	1098 x 629 x 1155 mm (43.2 x 24.8 x 45.5 in)
	Shipping	1310 x 570 x 645 mm (51.6 x 22.4 x 25.4 in)
Weight	Printer	51 kg (112.4 lb)
	Shipping 70 kg (154.3 lb) HD Design let T930 24 in MED printhead, ink cartridges, printer stand, spindle, quick	
What's in the		
box	HP DesignJet T83	
box Software included	HP DesignJet T83 reference guide, s HP Click printing s	0 24-in MFP, printhead, ink cartridges, printer stand, spindle, quick setup poster, power cord, refeed preventers software, HP DesignJet Utility for Mac and Windows
box Software included Environmental	HP DesignJet T83 reference guide, s HP Click printing s Operating temper	0 24-in MFP, printhead, ink cartridges, printer stand, spindle, quick setup poster, power cord, refeed preventers software, HP DesignJet Utility for Mac and Windows ature: 5 to 40°C (41 to 104°F)
box Software included Environmental	HP DesignJet T83 reference guide, s HP Click printing s Operating temper Storage temperat	0 24-in MFP, printhead, ink cartridges, printer stand, spindle, quick setup poster, power cord, refeed preventers software, HP DesignJet Utility for Mac and Windows ature: 5 to 40°C (41 to 104°F) ure: -25 to 55°C (-13 to 131°F)
box Software included Environmental ranges	HP Design Jet T83 reference guide, s HP Click printing s Operating temper Storage temperat Operating humidi	0 24-in MFP, printhead, ink cartridges, printer stand, spindle, quick setup poster, power cord, refeed preventers software, HP DesignJet Utility for Mac and Windows rature: 5 to 40°C (41 to 104°F) ure: -25 to 55°C (-13 to 131°F) ty: 20 to 80% RH
box Software included Environmental ranges	HP DesignJet T83 reference guide, s HP Click printing s Operating temper Storage temperat Operating humidi Sound pressure: 4	0 24-in MFP, printhead, ink cartridges, printer stand, spindle, quick setup poster, power cord, refeed preventers coftware, HP DesignJet Utility for Mac and Windows ature: 5 to 40°C (41 to 104°F) ure: -25 to 55°C (-13 to 131°F) ty: 20 to 80% RH IB dB(A) (printing); < 16 dB(A) (sleep)
box Software included Environmental ranges	HP DesignJet T83 reference guide, s HP Click printing s Operating temper Storage temperat Operating humidi Sound pressure: 4	0 24-in MFP, printhead, ink cartridges, printer stand, spindle, quick setup poster, power cord, refeed preventers software, HP DesignJet Utility for Mac and Windows rature: 5 to 40°C (41 to 104°F) ure: -25 to 55°C (-13 to 131°F) ty: 20 to 80% RH
box Software Included Environmental ranges Acoustic	HP DesignJet T83 reference guide, se HP Click printing some Operating temper Storage temperating humidi Sound pressure: 4 Sound power: 6.5 36 watts (printing se Green Comments of Sound S	0 24-in MFP, printhead, ink cartridges, printer stand, spindle, quick setup poster, power cord, refeed preventers coftware, HP DesignJet Utility for Mac and Windows nature: 5 to 40°C (41 to 104°F) ure: -25 to 55°C (-13 to 131°F) ty: 20 to 80% RH l8 dB(A) (printing); < 16 dB(A) (sleep) B(A) (printing); < 3.4 B(A) (sleep) , 3.5 watts (sleep), 0.2 watts (standby)
box Software included Environmental ranges Acoustic Power consumption	HP DesignJet T83 reference guide, se HP Click printing some Operating temper Storage temperating humidi Sound pressure: 4 Sound power: 6.5 36 watts (printing Input voltage: 100	0 24-in MFP, printhead, ink cartridges, printer stand, spindle, quick setup poster, power cord, refeed preventers software, HP DesignJet Utility for Mac and Windows lature: 5 to 40°C (41 to 104°F) ure: -25 to 55°C (-13 to 131°F) ty: 20 to 80% RH l8 dB(A) (printing); < 16 dB(A) (sleep) B(A) (printing); < 3.4 B(A) (sleep)), 3.5 watts (sleep), 0.2 watts (standby) 0-240 V, 50/60 Hz, 1.2 A max
box Software included Environmental ranges Acoustic Power consumption	HP DesignJet T83 reference guide, se HP Click printing some Operating temper Storage temperating humidi Sound pressure: 4 Sound power: 6.5 36 watts (printing se Green Comments of Sound S	0 24-in MFP, printhead, ink cartridges, printer stand, spindle, quick setup poster, power cord, refeed preventers coftware, HP DesignJet Utility for Mac and Windows nature: 5 to 40°C (41 to 104°F) ure: -25 to 55°C (-13 to 131°F) ty: 20 to 80% RH l8 dB(A) (printing); < 16 dB(A) (sleep) B(A) (printing); < 3.4 B(A) (sleep) , 3.5 watts (sleep), 0.2 watts (standby)
box Software included Environmental ranges Acoustic Power consumption	HP DesignJet T83 reference guide, se HP Click printing some Operating temper Storage temperating humidi Sound pressure: 4 Sound power: 6.5 36 watts (printing Input voltage: 100	0 24-in MFP, printhead, ink cartridges, printer stand, spindle, quick setup poster, power cord, refeed preventers software, HP DesignJet Utility for Mac and Windows ature: 5 to 40°C (41 to 104°F) ure: -25 to 55°C (-13 to 131°F) ty: 20 to 80% RH 18 dB(A) (printing); < 16 dB(A) (sleep) B(A) (printing); < 3.4 B(A) (sleep) 1), 3.5 watts (sleep), 0.2 watts (standby) 0-240 V, 50/60 Hz, 1.2 A max USA and Canada (CSA certified), EU (LVD and EN 60950-1 compliant), Russia (EAC), Singapore (PSB), China (CCC), Argentina
What's in the box Software included Environmental ranges Acoustic Power consumption Certification	HP DesignJet T83 reference guide, s HP Click printing s Operating temper Storage temperat Operating humidi Sound pressure: 4 Sound power: 6.5 36 watts (printing Input voltage: 100 Safety Electromagnetic Environmental	0 24-in MFP, printhead, ink cartridges, printer stand, spindle, quick setup poster, power cord, refeed preventers software, HP DesignJet Utility for Mac and Windows lature: 5 to 40°C (41 to 104°F) ure: -25 to 55°C (-13 to 131°F) ty: 20 to 80% RH l8 dB(A) (printing); < 16 dB(A) (sleep) B(A) (printing); < 3.4 B(A) (sleep)), 3.5 watts (sleep), 0.2 watts (standby) 0-240 V, 50/60 Hz, 1.2 A max USA and Canada (CSA certified), EU (LVD and EN 60950-1 compliant), Russia (EAC), Singapore (PSB), China (CCC), Argentina (IRAM), India (BIS) Compliant with Class B requirements, including: USA (FCC rules), Canada (ICES), EU (EMC/R&TTE Directives), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI); Certified as Class A

Ordering information

Product	F9A28A	HP DesignJet T830 24-in Multifunction Printer
Accessories	B3Q36A	HP DesignJet 24-in Spindle
	N7P47AA	HP USB 3.0 to Gigabit LAN Adapter
Original HP printhead	F9J81A	HP 729 DesignJet Printhead Replacement Kit
Original HP	F9J61A	HP 728 40-ml Yellow DesignJet Ink Cartridge
ink cartridges	F9J62A	HP 728 40-ml Magenta DesignJet Ink Cartridge
	F9J63A	HP 728 40-ml Cyan DesignJet Ink Cartridge
	F9J64A	HP 728 69-ml Matte Black DesignJet Ink Cartridge
	F9J65A	HP 728 130-ml Yellow DesignJet Ink Cartridge
	F9J66A	HP 728 130-ml Magenta DesignJet Ink Cartridge
	F9J67A	HP 728 130-ml Cyan IDesignJet Ink Cartridge
	F9J68A	HP 728 300-ml Matte Black DesignJet Ink Cartridge
	F9K15A	HP 728 300-ml Yellow DesignJet Ink Cartridge
	F9K16A	HP 728 300-ml Magenta DesignJet Ink Cartridge
	F9K17A	HP 728 300-ml Cyan DesignJet Ink Cartridge

 $Dynamic security enabled printer. Cartridges using a non-HP chip might not work and those that work today might not work in the future. More at: <math display="block">\frac{hp.com/go/learnaboutsupplies}{hp.com/go/learnaboutsupplies}$

today might not wo	ork in the future	. More at: <u>np.com/go/learnaboutsupplies</u>
Original HP large format printing materials	C1860A	HP Bright White Inkjet Paper (FSC® certified) ⁹ ♣ 10 610 mm × 45.7 m (24 in × 150 ft)
	C6019B	HP Coated Paper 🛟 10 610 mm x 45.7 m (24 in x 150 ft)
	C6029C	HP Heavyweight Coated Paper 🍪 ⁰ 610 mm × 30.5 m (24 in × 100 ft)
	COF18A	HP Everyday Adhesive Matte Polypropylene, 2 Pack 610 mm x 22.9 m (24 in x 75 ft)
Service and	UC744E	HP Network Installation Service
support	U9RT0E	HP Monthly NBD* Onsite Support
	U9RS8E	HP 2 year NBD* Onsite Support
	U9RS5E	HP 3 year NBD* Onsite Support
	U9RS9E	HP 4 year NBD* Onsite Support
	U9RS6E	HP 5 year NBD* Onsite Support
	U9RS7PE	HP 1 year Post Warranty NBD* Onsite Support
	U9RT1PF	HP 2 year Post Warranty NBD* Onsite Support

* Next Business Day.

HP DesignJet Support Services offer solutions for business critical environments — installation, extended support and maintenance, as well as a variety of value-added services. For more information, please visit hp.com/go/designjetsupport.

Use **Original HP inks**, printheads and large format printing materials to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system to provide precise line accuracy as well as dark blacks. For more information, visit hp.com/go/OriginalHPinks.

For the entire **HP Large Format Printing Materials** portfolio, please see HPLFMedia.com.

Eco Highlights



- ENERGY STAR® certified and EPEAT Silver registered111
- Free, convenient HP ink cartridge recycling¹²
- FSC®-certified papers® and a range of recyclable HP media with a take back program¹²

Please recycle large-format printing hardware and printing supplies.

Find out how at our website

hp.com/ecosolutions

- 6 Mechanical printing time. Printed in Fast mode with Economode on, using HP Bright White Inkjet Paper (bond) and Original HP inks.
- 7 ±0.1% of the specified vector length or ±0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A1/D HP Heavyweight media in Best or Normal mode with Original HP inks.
- 8 Measured on HP Matte Film.¹¹
- 9 BMG trademark license code FSC*-C115319, see <u>fsc.org</u>. HP trademark license code FSC*-C017543, see <u>fsc.org</u>. Not all FSC*-certified products are available in all regions. For information about HP large format printing materials, please visit HPLFMedia.com.
- © Can be recycled through commonly available recycling programs.
- EPEAT registered where applicable and/or supported. See <u>epeat.net</u> for registration status by country.
- ¹² Program availability varies. Please check <u>hp.com/recycle</u> for details. Many HP printing materials are recyclable through commonly available recycling programs. For information about HP large format printing materials, please visit <u>HPLFMedia.com</u>.

















© Copyright 2017, 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. Windows is a U.S. registered trademark of Microsoft Corporation. Mac and the Mac logo are trademarks of Apple Computer, Inc., registered in the U.S. and other countries.







HP DesignJet T830 36-in Multifunction Printer

The smart choice for architecture and construction offices ready to evolve

Communicate more effectively—no learning curve needed—with print plus scan and copy capabilities



CONVENIENT—Fast, agile, intuitive print/scan/copy

- Enjoy easy installation in the office, construction job site with the most compact 36-in large-format MFP¹
- Easily print project sets and PDF documents with HP Click printing software
- Anyone can print smoothly from a smartphone or tablet with HP Mobile Printing²
- Fit your print volume—choose from a variety of 40/130/300-ml color and 69/300-ml black HP ink cartridges

TRUSTED—HP DesignJet quality and reliability

- Get HP DesignJet quality also in smallformat sizes—print half-size documents with 50-sheet A4/A3 input tray
- Smart scanning technology protects originals from damage when scanning and obtains precise colors
- Achieve precise lines up to 0.1% line accuracy³, sharp detail up to 2400 dpi or down to 0.02 mm line width
- Reinforced design and strong legs for easy transport and use at the job site

COMMUNICATION—Immediately share meeting results

- Use built-in scanner to copy and distribute sketches and hand-annotated drawings to peers/partners right away
- Share drawings immediately—scan/ email from front panel, use HP Smart app⁴ to email contacts, post to cloud
- Easily link your computer, smartphone, or tablet to the printer with Wi-Fi Direct
- No learning curve—with the intuitive design of a single touchscreen, you can scan, copy, and share instantly

Dynamic security enabled printer. Cartridges using a non-HP chip might not work and those that work today might not work in the future. More at: hp.com/go/learnaboutsupplies

For more information, please visit hp.com/go/designjetT830

- 1 The HP Design let T830 24-inch and 36-inch Multifunction Printers are the most compact large-format devices performing print/scan/copy functions based on Hx Wx L specifications published as of May, 2017.
- ² Local printing requires mobile device and printer to be on the same network (usually Wi-Fi access points bridge wireless to wired connections) or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an internet connection to an HP web-connected printer. Wireless broadband use requires separately purchased service contract for mobile devices be a contract for a contract for mobile devices. The printing requires are a compatible with a contract for mobile devices and the printing requires an internet connection to an HP web-connected printer. Wireless broadband use requires separately purchased service contract for mobile devices and the printing requires an internet connection to an HP web-connected printer. Wireless provides for example the printing requires an internet connection to an HP web-connected printer. Wireless provides for example the printing requires an internet connection to an HP web-connected printer. Wireless provides for example the printing requires an internet connection to an HP web-connected printer. Wireless provides for example the printing requires an internet connection to an HP web-connected printer. Wireless provides for example the printing requires an internet connection to an HP web-connected printer.
- devices. Check with service provider for coverage and availability in your area. See http://www.hp.com/go/designjetmobility for more details.

 3 +/-0.1% of the specified vector length or +/-0.2 mm (whichever greater) at 23° C (73° F), 50-60% relative humidity, on A1/D HP printing material in Best mode with HP Heavyweight roll feed and Original HP Bright Office Inks
- 4 The HP Smart app is available for Apple® iPad, iPhone, and iPod Touch running iOS v7.0 or later and for Android™ mobile devices running Android™ v4.4 or later. The HP Smart app is available for free from the Apple® App Store for Apple® mobile devices and from the Google Play Store for Android™ mobile devices.

Technical specifications

		25 sec/page on A1/D, 82 A1/D prints per hour	
	Print resolution	Up to 2400 x 1200 optimized dpi	
	Margins (top x bottom x left x right)	Roll: 5 x 5 x 5 x 5 mm (0.2 x 0.2 x 0.2 x 0.2 in) Sheet: 5 x 5 x 5 x 5 mm (0.2 x 0.2 x 0.2 x 0.2 in)	
	Ink types	Dye-based (C, M, Y); pigment-based (mK)	
	Printheads	1 (C, M, Y, mK)	
	Line accuracy	+/- 0.1% ⁶	
	Minimum line width	0.02 mm (0.0008 in) (HP-GL/2 addressable)	
	Guaranteed minimum line width	0.07 mm (0.0028 in) (ISO/IEC 13660:2001(E)) ⁷	
Media	Handling	Sheet feed, roll feed, input tray, media bin, automatic cutter	
	Weight	60 to 280 g/m² (roll/manual feed); 60 to 220 g/m² (input tray)	
	Size	Rolls: 279 to 914 mm (11 to 36 in) Sheets: 210 x 279 to 914 x 1897 mm (8.3 x 11 to 36 x 74.7 in) Standard sheets: A4, A3, A2, A1, A0 (A, B, C, D, E)	
Scan	Scan speed	Color: up to 3.81 cm/sec (1.5 in/sec) Grayscale: up to 11.43 cm/sec (4.5 in/sec)	
	Scan/copy resolution	600 dpi	
	Maximum scan	Size: 914mm x 2.77m (36x109in)	
		Thickness: 0.8 mm (0.03 in)	
Сору	Reduction/ enlargement	50 to 400%	
	Maximum copies	Up to 99 copies	
	Copier settings	Content type, Lighter/Darker, Background noise removal, Background colo removal, Blue print invert, Translucent media, Color, Scan full width (36-in) Auto De-skew, Resize, Copy Margins, Quality	
Applications	Line drawings, Ren	derings, Presentations	
Memory	1 GB		
Connectivity	Interfaces (standard)	Gigabit Ethernet (1000Base-T); Wi-Fi 802.11b/g/n; Wi-Fi Direct	
	Print languages (standard)	TIFF, JPEG, CALS G4, HP PCL 3 GUI, HP-GL/2, HP-RTL, URF	
	Printing paths	Windows and Mac printer drivers, Apple AirPrint, HP Print Service Plugin for Android, HP Print for Chrome app for Chrome 0S	
	Mobile printing capability features Drivers (included)	Direct print for mobile apps for iOS, Android and Chrome OS; email printing with HP ePrint and HP Smart app for iOS and Android Raster driver for Windows and macOS; HP-GL/2, HP-RTL drivers for Windows	
Dimensions	Printer	1403 x 629 x 1155 mm (55.2 x 24.8 x 45.5 in)	
(w x d x h)	Shipping	1578 x 570 x 645 mm (62.5 x 22.4 x 25.4 in)	
Weight	Printer	62.5 kg (137.8 lb)	
	Shipping	85 kg (187.4 lb)	
What's in the box		36-in MFP, printhead, ink cartridges, printer stand, spindle, quick tup poster, startup software, power cord, refeed preventers	
Software included	HP Click printing so	ftware, HP DesignJet Utility for Mac and Windows	
Environmental	Operating temperat	rure: 5 to 40°C (41 to 104°F)	
ranges	Storage temperature: -25 to 55°C (-13 to 131°F)		
	Operating humidity: 20 to 80% RH		
Acoustic	Sound pressure: 48 dB(A) (printing); < 16 dB(A) (sleep)		
Acoustic	Sound power: 6.5 B(A) (printing); < 3.4 B(A) (sleep)		
Acoustic	35 watts (printing), 3.5 watts (sleep), 0.2 watts (standby)		
Power		ranging): 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz), 1.2 A max	
Power	Input voltage (auto		
Power consumption	Safety	USA and Canada (CSA certified), EU (LVD and EN 60950-1 compliant), Russia (EAC), Singapore (PSB), China (CCC), India (BIS)	
Acoustic Power consumption Certification			
Power consumption	Safety	Russia (EAC), Singapore (PSB), China (CCC), India (BIS) Compliant with Class B requirements, including: USA (FCC rules), Canada (ICES), EU (EMC/R&TTE Directives), Australia (ACMA), New Zealand (RSM),	

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. More at: hp.com/go/learnaboutsupplies

.com/go/learnaboutsupplies

















Ordering information

Product	F9A30A	HP DesignJet T830 36-in Multifunction Printer
Accessories	B3Q37A	HP DesignJet 36-in Spindle
	N7P47AA	HP USB 3.0 to Gigabit Adapter
	N9M07A	HP DesignJet Rugged Case
Original HP printhead	F9J81A	HP 729 DesignJet Printhead Replacement Kit
Original HP ink cartridges	F9J61A	HP 728 40-ml Yellow DesignJet Ink Cartridge
	F9J62A	HP 728 40-ml Magenta DesignJet Ink Cartridge
	F9J63A	HP 728 40-ml Cyan DesignJet Ink Cartridge
	F9J64A	HP 728 69-ml Matte Black DesignJet Ink Cartridge
	F9J65A	HP 728 130-ml Yellow DesignJet Ink Cartridge
	F9J66A	HP 728 130-ml Magenta DesignJet Ink Cartridge
	F9J67A	HP 728 130-ml Cyan IDesignJet Ink Cartridge
	F9J68A	HP 728 300-ml Matte Black DesignJet Ink Cartridge
	F9K15A	HP 728 300-ml Yellow DesignJet Ink Cartridge
	F9K16A	HP 728 300-ml Magenta DesignJet Ink Cartridge
	F9K17A	HP 728 300-ml Cyan DesignJet Ink Cartridge
Original HP large format printing	C1861A	HP Bright White Inkjet Paper (FSC® certified)® 🛟 ° 914 mm x 45.7 m (36 in x 150 ft)
materials	C6020B	HP Coated Paper ♣ 9 914 mm x 45.7 m (36 in x 150 ft)
	C6030C	HP Heavyweight Coated Paper ♣ ° 914 mm x 30.5 m (36 in x 100 ft)
	C3875A	HP Clear Film ♦ ° 914 mm × 30.5 m (36 in × 75 ft)
Service and suppo	rt UC744E	HP Network Installation Service
	U9JW8E	HP Monthly NBD* Onsite Support
	U8TY8E	HP 2 year NBD* Onsite Support
	U8PH3E	HP 3 year NBD* Onsite Support
	U8TY9E	HP 4 year NBD* Onsite Support
	U8PH4E	HP 5 year NBD* Onsite Support
	U8PH5PE	HP 1 year Post Warranty NBD* Onsite Support
	U8TZ0PE	HP 2 year Post Warranty NBD* Onsite Support

* Next Business Day.

HP DesignJet Support Services offer solutions for business critical environments — installation, extended support and maintenance, as well as a variety of value-added services. For more information, please visit hp.com/go/designjetsupport.

Use **Original HP inks**, printheads and large format printing materials to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system to provide precise line accuracy as well as dark blacks. For more information, visit hp.com/go/OriginalHPinks.

For the entire **HP Large Format Printing Materials** portfolio, please see HPLFMedia.com.

Eco Highlights




- ENERGY STAR® certified and EPEAT Silver registered¹⁰
- Free, convenient HP ink cartridge recycling¹¹
- FSC $^{\odot}$ -certified papers 8 and a range of recyclable HP media with a take back program 11

Please recycle large-format printing hardware and printing supplies.

Find out how at our website

hp.com/ecosolutions

- Mechanical printing time. Printed in Fast mode with Economode on, using HP Bright White Inkjet Paper (bond) and Original HP inks.
- 6 +/-0.1% of the specified vector length or +/-0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E HP heavyweight media in Best or Normal mode with HP Matte Film.
- Measured on HP Matte Film
- BMG trademark license code FSC*-C115319, see <u>fsc.org</u>. HP trademark license code FSC*-C017543, see <u>fsc.org</u>. Not all FSC*-certified products are available in all regions. For information about HP large format printing materials, please visit HPLFMedia.com.
- ⁹ Can be recycled through commonly available recycling programs.
- $^{10}\ \ \text{EPEAT registered where applicable and/or supported. See} \ \underline{\text{epeat.net}}\ \text{for registration status by country}.$
- Program availability varies. Please check hp.com/recycle for details. Many HP printing materials are recyclable through commonly available recycling programs. For information about HP large format printing materials, please visit HPLFMedia.com.



ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. Windows is a U.S. registered trademark of Microsoft Corporation. Mac and the Mac logo are trademarks of Apple Computer, Inc., registered in the U.S. and other countries.

