

ADVANCED SERIES COLOR DOCUMENT SYSTEMS simply smarter

Designed for today's individual workstyles.

From media handling to workflow and collaboration, the new Advanced Series delivers the features businesses need to get the job done.


The new Advanced Series color document systems enable workers to collaborate and share information seamlessly and securely. Enhanced cloud services such as Microsoft Teams makes it easy to streamline communication and enhance productivity with hybrid workers.

Easy-to-use Touchscreen Award-winning design that delivers an accurate, responsive user experience, imperative for today's sophisticated workflows.

Technology Focused on Efficiency Innovative features like optional double-feed scan detection and enhanced auto skew correction ensure jobs come out right the first time, every time.

Versatile Application Integration Easy access to expanded cloud services, quickly connect with mobile devices, including touchless operation with the Sharp Synappx Go app.

Leading Security The Advanced Series uses the latest security technology in today's hybrid working environments to protect endpoint devices from security threats.



10.1" (diagonally measured) customizable touchscreen display.



Built-in retractable keyboard simplifies email address and subject line entries.



New Inner Folding Unit option offers a variety of fold patterns, including tri-fold, z-fold and others.



High capacity 300-sheet DSPF scans documents at up to 280 images per minute.

- **300-sheet duplexing** single-pass feeder offers double feed-detection (optional) and scans up to 280 images per minute.
- **Flexible paper handling** supports media up to 300 gsm, allowing users to print on a wide variety of paper stock or media.
- **Smart controller design** ensures MFP firmware is up to date by periodically checking for updates.
- **Built-in walk-up motion sensor** automatically detects approaching users immediately wakes the machine, making it ready for use within seconds.
- **Energy Star 3.0 certified** offers among the lowest standby power consumption in the category.
- **Enhanced touchscreen** delivers an accurate, responsive user experience and provides easy access to features.
- Collaborate with hybrid workers using **popular cloud services**, such as Microsoft Teams, Google Drive™, and Dropbox.
- Strong, **multi-layered security** includes system integrity check at startup, firmware attack prevention and optional Bitdefender® antivirus help protect your data.*
- Supports native **Universal Print from Microsoft**, enabling businesses to easily adapt to this popular cloud service.
- **Wireless LAN** supports 5 GHz Wi-Fi for stable, **high-speed network communication**.
- **Sharp OSA® Technology** provides a secure and intuitive user experience for integrated workflows.

*Bitdefender antivirus option available summer 2022.

SPECIFICATIONS BP-70C55/70C65

Main Specifications

BP-70C55/70C65	Base models include multitasking controller, 300-sheet DSFP, PCL [®] 6 and Adobe PostScript ³ printing systems, network scanning, auto duplexing, 1 x 550-sheet paper drawer, 100-sheet bypass tray. Black and color developer is included.
Type	Color multi-function digital document system
Display	10.1" (diagonally measured) color dot matrix high-resolution touch panel tilting display. 1,024 x 600 dots (W-SVGA)
Functions	Copy, print, network print, network scan, document filing and fax ¹
Copy System	Dry electrostatic transfer/Dual component developer/Magnetic brush development/OPC drums/Pad fusing/White LED exposure
Originals	Sheets and bound documents
Max. Original Size	11" x 17"
Output Size	Min. 5½" x 8½", Max. 12" x 18"
Copy Speed	55/65 ppm Mono/Color (8½" x 11")
Multiple Copy	Max. 9,999 copies
First Copy Time (In Seconds)²	Platen Glass: Mono 3.7, Color 4.8
Warm Up Time	DSFP: Mono 6.2, Color 8.1 27 seconds (from main power switch on), 15 seconds (from [Power] button on)
Magnification	25% to 400% in 1% increments (with DSFP 25%-200%)
Original Feed	300-sheet DSFP with original size detection
Scan Speed	Copy: Up to 280 ipm (Mono/Color) Scan: Up to 280 ipm (Mono/Color)
Original Sizes	5½" x 8½", 8½" x 11", 8½" x 11" R, 8½" x 14", 11" x 17"
Paper Capacity	Standard: 650 Sheets/Maximum: 6,300 Sheets
Paper Feed System	Standard: (1) paper drawer 550 sheets (letter/legal/ledger/stmt. size) or up to 50 envelopes (max. height: 25 mm), 100-sheet (or 20 envelope) bypass tray. Optional: Single, double, or triple paper drawer(s) (550, 1,100, or 1,650 sheets), split tandem paper drawers 2,100 sheets (letter) + (1) 550-sheet paper drawer (letter/legal/ledger/ statement size).
Paper Weights and Types	Paper drawers: 18 lb. bond to 110 lb. cover. Drawer 1: 20-24 lb. bond or Monarch/Com-9 envelopes. Split Tandem Drawers: 18 lb. bond to 28 lb. bond or plain, pre-printed, recycled, pre-punched, letterhead and color paper. Bypass tray: 16-28 lb. bond (plain paper), 13-16 lb. bond (thin paper), 28 lb. bond-110 lb. cover (heavy paper), tab paper (letter) and Monarch/Com-10 envelopes. Also label, glos, preprinted, recycled, pre-punched, letterhead and color paper or OHP film.
Duplexing	Standard automatic duplex copying and printing
CPU	Up to 1.6 GHz Intel processor
Interface	RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0: 1 host port (front), USB 3.0: 2 host ports (rear), wireless 802.11 a/b/g/n/ac
Memory	Standard 5 GB copy/print (shared)
Solid State Drive	256 GB, 512 GB (option)
Copy Resolution	Scan: 600 x 600 dpi (Mono/Color). Output: Up to 1,200 x 1,200 dpi (Mono), up to 600 x 600 dpi (Color)
Color Modes	Auto Color Selection (ACS), Full Color Mode, Monochrome (B/W)
Exposure Control Modes	Automatic, Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color Document. Settings: Auto or 9 step manual
Halftone	256 gradations/2 levels (monochrome)
Copy Features	Scan-Once Print-Many, electronic sorting, offset-stacking, Auto Color Selection (ACS), Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot
Account Control	Up to 1,000 users. Supports user-number authentication via local, LDAP and Active Directory for copy, print, scan and document management

Main Specifications (continued)

Output Tray	Center Exit Tray (Main): 400 sheets (face down)
Capacity	Job Separator (Upper Tray): 100 sheets (face down) Right Side Exit Tray: 120 sheets (face down)
Cloud Supported Services	Google Drive, Box, OneDrive for Business, SharePoint Online, Dropbox, Gmail™, Microsoft Teams, MFP Voice
Network Protocols	TCP/IP (IPv4, IPv6, IPsec), HTTP/HTTPS, IPP/IPP-SSL/TLS, FTP/FTPS, SNMPv3, SMTP/SMTP-SSL, POP3/POP3-SSL, LDAP/LDAP-SSL, 802.1x for Windows and Unix.
Network and Data Security	Includes IP/MAC address filtering, protocol filtering, port control, user authentication, (local/LDAP/Active Directory), WPA3 wireless, TLS 1.3 Encryption, Kerberos support
Firmware Management	Flash ROM with local (USB), network update capability and firmware update 1 to N with Sharp Remote Device Manager (available for download)
Device Setup	Web-based management with user/admin level login
Service/Functions	Remote Front Panel, remote access to service logs and click counts
Accessibility Features	Free stop tilting front panel, adjustment of key touch sound and speed, document feeder free stop, job programs, remote front panel, universal grip for paper trays, disable screen timeout and voice interaction
Environmental Standards	International Energy Star Program Ver. 3.0, European RoHS, Blue Angel (RAL-UZ205), EPEAT Gold
Power Source	110-127 V AC, 60 Hz, 20 A Receptacle
Power	1.92 kW or less
Consumption	
Weight	Approx. 192 lbs.
Dimensions	Approx. 24" (w) x 26" (d) 34" (h)
Network Printing System	
PDL	Standard PCL 6, Adobe PostScript 3
Resolution	1,200 x 1,200 dpi
Print Speed	55/65 pages per minute (8½" x 11")
Print Drivers	Windows 8.1, Windows 10, Windows 11, Windows Server 2012/2016/2019, Windows PPD, Mac [®] OS (including 10.10 to 12), UNIX [®] , Linux [®] , Universal Print (native)
Mobile Printing¹	Android™ printing framework (Sharp Print Service Plugin), Sharpdesk Mobile, AirPrint [®]
Print Features	Auto configuration, serverless print release, chapter inserts, confidential print, continuous printing, custom image registration, document control, document filing, duplex printing, electronic sorting, form overlay, hidden pattern print, image rotation, job bypass print, job retention, layout print, margin shift, multiple pamphlet, network tandem print, N-up printing, offset stacking, page interleave, pamphlet style, poster print, proof print, print and send, tab paper print, tab printing, transparency inserts, tray status, user authentication single sign-on, watermarks, zoom print
Direct Printing	File Types: TIFF, JPEG, PCL, PRN, TXT, PNG, PDF, Compact PDF, Encrypted PDF, PS, DOCX, XLSX and PPTX. Methods: FTP, SMB, Web page, Email and USB memory. Adobe Embedded Print Engine support for PDF file formats.
Resident Fonts	80 outline fonts (PCL), 139 fonts (PS)
Interface	RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0/3.0, Wireless 2.4/5 GHz
Operating Systems and Environments	Windows 8.1, Windows 10, Windows 11, Windows Server 2012/2016/2019, Chrome OS™, OS X 10.10 - macOS 12, Unix [®] , Linux [®] , Citrix [®] , and SAP device types ¹
Printing Protocols	LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3, POP3S, HTTP, HTTPS, and LPR and LPD for Unix
Network Scanning System	
Scan Modes	Standard: Color, monochrome, grayscale
Max. Original Size	11" x 17"
Optical Resolution	600 dpi
Output Modes	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
Image	Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR)
Compression	Color/Grayscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option)

Network Scanning System (continued)

Image Formats	Monochrome: TIFF, PDF, PDF/A, Encrypted PDF, XPS, Searchable PDF, DOCX, XLSX, PPTX, TXT, and RTF. Color/Grayscale: TIFF, JPEG, PDF, PDF/A, Compact PDF, Encrypted PDF, XPS, Searchable PDF, DOCX, XLSX, PPTX, TXT, and RTF. Internet Fax: TIFF-FX, TIFF-F, TIFF-S ¹
Scan Destinations	Email, Desktop, FTP, Folder (SMB), USB, Internet fax (option), Super G3 fax, Teams Folder, OneDrive, Box, Dropbox
One-touch Destinations	Up to 2,000 (combined scan destinations)
Group Destinations	Up to 500
Programs	48 (combined)
Max. Jobs	Up to 100
Enhanced Email Integration	Standard Gmail connector, standard Exchange connector
Scanning Protocols	HTTP/HTTPS, FTP/FTPS, SMTP/SMTP-SSL/ESMTP, SMB, POP3, LDAP, S/MIME
Software¹	Sharpdesk Mobile (download), Synappx (download)

Optional Equipment

BP-70ABD	Deluxe Copier Cabinet Base (available summer 2022)
BP-DE12	Stand/1 x 550-sheet Paper Drawer
BP-DE13	Stand/2 x 550-sheet Paper Drawers
BP-DE14	Stand/3 x 550-sheet Paper Drawers
BP-DE15	Stand/1 x 550 + 2,100-sheet Split Tandem Paper Drawers
BP-1C10	3,000-sheet Large Capacity Cassette (letter, requires BP-DE12/DE13/DE14/DE15)
BP-DD10	Double Feed Detection Kit
MX-LT10	Long Paper Feeding Tray
BP-FN11	50-sheet Staple Inner Finisher (for 31/36/45/55 ppm models)
BP-FN12	50-sheet Staple Inner Finisher (for 65 ppm model)
BP-FN13	1K Stacking 50-sheet Staple Finisher
BP-FN14	1K Stacking 50-sheet Staple/Saddle Stitch Finisher
BP-FN15	3K Stacking 65-sheet Staple Finisher
BP-FN16	3K Stacking 65-sheet Staple/Saddle Stitch Finisher
BP-FD10	Inner Folding Unit
BP-RB10	Paper Pass Unit (required for BP-FN13/14/15/16)
MX-PN14B	3-Hole Punch Unit (requires BP-FN11/12)
MX-PN15B	3-Hole Punch Unit (requires BP-FN13/14)
MX-PN16B	3-Hole Punch Unit (requires BP-FN15/16)
MX-SCX1	Staple Cartridge for BP-FN11/12/13
AR-SC2	Saddle-stitch Staple Cartridge for BP-FN14
MX-SC11	Staple Cartridge for BP-FN15/16
MX-SC12	Saddle-stitch Staple Cartridge for BP-FN16
BP-TR12	Right Side Exit Tray
MX-TR20N	Job Separator Tray
BP-TU10	Center Exit Tray
BP-UT10	Utility Table
BP-FX11	Fax Expansion Kit
MX-FWX1L	Internet Fax Expansion Kit
MX-PF10	Bar Code Font Kit
AR-SU1	Stamp Unit (requires AR-SV1 Stamp Cartridge)
AR-SV1	Stamp Cartridge
MX-AMX1L	Application Integration Module
BP-SD10	High Capacity SSD (512 GB)
BP-VD10L	Virus Detection Kit (available summer 2022)
BP-FR12UL	Data Security Kit
DVENDFSV	Generic Vendor Interface Kit

Supplies

BP-NI70BA	Black Toner Cartridge
BP-NI70CA	Cyan Toner Cartridge
BP-NI70MA	Magenta Toner Cartridge
BP-NI70YA	Yellow Toner Cartridge
BP-NV70BA	Black Developer
BP-NV70SA	Cyan/Magenta/Yellow Developer
BP-DR70SA	Drum

¹ Some features require optional equipment. See your local dealer.

² May vary depending on product configuration, machine settings and operating and/or environmental conditions.



SHARP ELECTRONICS CORPORATION
100 Paragon Drive, Montvale, NJ 07645
1-800-BE-SHARP • www.sharpusa.com

Design and specifications subject to change without notice.



SYNAPPX



Qualcomm DirectOffice™



©2022 Sharp Electronics Corporation. All rights reserved. Sharp, Sharp OSA, Sharpdesk, My Sharp, and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Microsoft, Active Directory, Excel, Microsoft 365, Microsoft Teams, OneDrive, PowerPoint, SharePoint, Windows, and Windows Server are trademarks of the Microsoft group of companies. Android, Gmail, Chrome OS, and Google Drive are trademarks or registered trademarks of Google LLC. Adobe and PostScript are either registered trademarks or trademarks of Adobe in the US and/or other countries. Qualcomm DirectOffice is a product of Qualcomm Technologies, Inc. and/or its subsidiaries. Qualcomm is a trademark of Qualcomm Incorporated, registered in the United States and other countries. DirectOffice is a trademark of CSR Imaging US, LP, registered in the United States and other countries, used with permission. AirPrint is a trademark of Apple Inc. Bitdefender is a trademark or registered trademark of Bitdefender SRL. All other trademarks are the property of their respective owners.



LES OLSON IT

For more information
click or call **801-452-7988**