

Model	Max Power Consumption			Ready Mode			Preheat Mode			Auto Power Shut-Off Mode (Sleep Mode)			Plugged In (Off Mode)			TEC Value ² (kWh)
	Power Consumption (W)	BTU/hr*	Heat (released) (KJ/h)	Power Consumption (W)	BTU/hr*	Heat (released) (KJ/h)	Power Consumption (W)	BTU/hr*	Heat (released) (KJ/h)	Power Consumption (W)	BTU/hr ¹	Heat (released) (KJ/h)	Power Consumption (W)	BTU/hr ¹	Heat (released) (KJ/h)	
BP-50C26	1,500.00	5,118.21	5,400.00	89.00	303.68	320.00	53.00	180.84	191.00	0.20	0.68	0.70	0.10	0.34	0.40	0.28
BP-50C31	1,500.00	5,118.21	5,400.00	91.00	310.50	328.00	53.00	180.84	191.00	0.20	0.68	0.70	0.10	0.34	0.40	0.34
BP-50C36	1,500.00	5,118.21	5,400.00	93.00	317.33	335.00	54.00	184.26	194.00	0.20	0.68	0.70	0.10	0.34	0.40	0.39
BP-50C45	1,500.00	5,118.21	5,400.00	95.00	324.15	342.00	53.00	180.84	191.00	0.20	0.68	0.70	0.10	0.34	0.40	0.50
BP-50C55	1,920.00	6,551.31	6,912.00	108.00	368.51	389.00	67.00	228.61	241.00	0.20	0.68	0.70	0.20	0.68	0.40	0.74
BP-50C65	1,920.00	6,551.31	6,912.00	108.00	368.51	389.00	67.00	228.61	241.00	0.20	0.68	0.70	0.20	0.68	0.40	0.86
BP-70C31	1,500.00	5,118.21	5,400.00	91.00	310.50	328.00	53.00	180.84	191.00	0.20	0.68	0.70	0.20	0.68	0.70	0.34
BP-70C36	1,500.00	5,118.21	5,400.00	93.00	317.33	335.00	54.00	184.26	194.00	0.20	0.68	0.70	0.20	0.68	0.70	0.39
BP-70C45	1,500.00	5,118.21	5,400.00	95.00	324.15	342.00	53.00	180.84	191.00	0.20	0.68	0.70	0.20	0.68	0.70	0.50
BP-70C55	1,920.00	6,551.31	6,912.00	108.00	368.51	389.00	67.00	228.61	241.00	0.20	0.68	0.70	0.20	0.68	0.4	0.74
BP-70C65	1,920.00	6,551.31	6,912.00	108.00	368.51	389.00	67.00	228.61	241.00	0.20	0.68	0.70	0.20	0.68	0.4	0.86
MX-2651	1,500.00	5,118.21	5,400.00	124.00	423.11	446.00	99.00	337.80	356.00	0.90	3.07	3.20	0.10	0.34	0.40	1.50
MX-3051	1,500.00	5,118.21	5,400.00	142.00	484.52	511.00	116.00	395.81	418.00	0.90	3.07	3.20	0.10	0.34	0.40	1.80
MX-3071/S	1,500.00	5,118.21	5,400.00	142.00	484.52	511.00	116.00	395.81	418.00	0.90	3.07	3.20	0.10	0.34	0.40	1.80
MX-3551	1,500.00	5,118.21	5,400.00	140.00	477.70	504.00	116.00	395.81	418.00	0.90	3.07	3.20	0.10	0.34	0.40	2.10
MX-3571/S	1,500.00	5,118.21	5,400.00	140.00	477.70	504.00	116.00	395.81	418.00	0.90	3.07	3.20	0.10	0.34	0.40	2.10
MX-4051	1,500.00	5,118.21	5,400.00	140.00	477.70	504.00	116.00	395.81	418.00	0.90	3.07	3.20	0.10	0.34	0.40	2.20
MX-4071/S	1,500.00	5,118.21	5,400.00	140.00	477.70	504.00	116.00	395.81	418.00	0.90	3.07	3.20	0.10	0.34	0.40	2.20
MX-5051	1,920.00	6,551.31	6,912.00	160.00	545.94	576.00	128.00	436.75	461.00	0.50	1.71	1.80	0.10	0.34	0.40	3.10
MX-5071/S	1,920.00	6,551.31	6,912.00	160.00	545.94	576.00	128.00	436.75	461.00	0.50	1.71	1.80	0.10	0.34	0.40	3.10
MX-6051	1,920.00	6,551.31	6,912.00	160.00	545.94	576.00	128.00	436.75	461.00	0.50	1.71	1.80	0.10	0.34	0.40	3.10
MX-6071/S	1,920.00	6,551.31	6,912.00	160.00	545.94	576.00	128.00	436.75	461.00	0.50	1.71	1.80	0.10	0.34	0.40	3.10
MX-6580N	2,880.00	9,826.97	10,368.00	365.00	1,245.43	1,314.00	249.00	849.62	896.00	1.20	4.09	4.30	0.20	0.68	0.70	6.80
MX-7081	2,880.00	9,826.97	10,368.00	320.00	1,091.89	1,152.00	205.00	699.49	738.00	0.30	1.02	1.10	0.10	0.34	0.40	7.90
MX-7090N	2,880.00	9,826.97	10,368.00	360.00	1,228.37	1,296.00	255.00	870.10	918.00	1.10	3.75	4.00	0.20	0.68	0.70	7.90
MX-7580N	2,880.00	9,826.97	10,368.00	368.00	1,255.67	1,325.00	250.00	853.04	900.00	1.20	4.09	4.30	0.20	0.68	0.70	7.70
MX-8081	2,880.00	9,826.97	10,368.00	320.00	1,091.89	1,152.00	210.00	716.55	756.00	0.30	1.02	1.10	0.10	0.34	0.40	8.60
MX-8090N	2,880.00	9,826.97	10,368.00	365.00	1,245.43	1,314.00	270.00	921.28	972.00	1.10	3.75	4.00	0.20	0.68	0.70	8.60
BP-50M26	1,500.00	5,118.21	5,400.00	76.00	259.32	274.00	43.00	146.72	155.00	0.20	0.68	0.70	0.10	0.34	0.40	0.29
BP-50M31	1,500.00	5,118.21	5,400.00	85.00	290.03	306.00	52.00	177.43	187.00	0.20	0.68	0.70	0.10	0.34	0.40	0.35
BP-50M36	1,500.00	5,118.21	5,400.00	85.00	290.03	306.00	52.00	177.43	187.00	0.20	0.68	0.70	0.10	0.34	0.40	0.35
BP-50M45	1,500.00	5,118.21	5,400.00	83.00	283.21	299.00	52.00	177.43	187.00	0.20	0.68	0.70	0.10	0.34	0.40	0.50
BP-50M55	1,500.00	5,118.21	5,400.00	88.00	300.27	317.00	51.00	174.02	184.00	0.20	0.68	0.70	0.10	0.34	0.40	0.72
BP-50M65	1,500.00	5,118.21	5,400.00	88.00	300.27	317.00	51.00	174.02	184.00	0.20	0.68	0.70	0.10	0.34	0.40	0.72
BP-70M31	1,500.00	5,118.21	5,400.00	85.00	290.03	306.00	52.00	177.43	187.00	0.20	0.68	0.70	0.10	0.34	0.40	0.35
BP-70M36	1,500.00	5,118.21	5,400.00	85.00	290.03	306.00	52.00	177.43	187.00	0.20	0.68	0.70	0.10	0.34	0.40	0.35
BP-70M45	1,500.00	5,118.21	5,400.00	83.00	283.21	299.00	52.00	177.43	187.00	0.20	0.68	0.70	0.10	0.34	0.40	0.50
BP-70M55	1,500.00	5,118.21	5,400.00	88.00	300.27	317.00	51.00	174.02	184.00	0.20	0.68	0.70	0.10	0.34	0.40	0.72
BP-70M65	1,500.00	5,118.21	5,400.00	88.00	300.27	317.00	51.00	174.02	184.00	0.20	0.68	0.70	0.10	0.34	0.40	0.72
BP-70M75	1,920.00	6,551.31	6,912.00	166.00	566.42	598.00	122.00	416.28	439.00	0.20	0.68	0.70	0.10	0.34	0.40	1.27
BP-70M90	1,920.00	6,551.31	6,912.00	168.00	573.24	605.00	130.00	443.58	468.00	0.20	0.68	0.70	0.10	0.40	0.40	1.71
MX-M2651	1,500.00	5,118.21	5,400.00	102.00	348.04	367.00	64.00	218.38	230.00	0.50	1.71	1.80	0.10	0.34	0.40	0.39
MX-M3051	1,500.00	5,118.21	5,400.00	120.00	409.46	432.00	78.00	266.15	281.00	0.50	1.71	1.80	0.10	0.34	0.40	0.46
MX-M3071/S	1,500.00	5,118.21	5,400.00	120.00	409.46	432.00	78.00	266.15	281.00	0.50	1.71	1.80	0.10	0.34	0.40	0.46
MX-M3551	1,500.00	5,118.21	5,400.00	120.00	409.46	432.00	77.00	262.73	277.00	0.50	1.71	1.80	0.10	0.34	0.40	0.55
MX-M3571/S	1,500.00	5,118.21	5,400.00	120.00	409.46	432.00	77.00	262.73	277.00	0.50	1.71	1.80	0.10	0.34	0.40	0.55
MX-M4051	1,500.00	5,118.21	5,400.00	124.00	423.11	446.00	79.00	269.56	284.00	0.50	1.71	1.80	0.10	0.34	0.40	0.58
MX-M4071/S	1,500.00	5,118.21	5,400.00	124.00	423.11	446.00	79.00	269.56	284.00	0.50	1.71	1.80	0.10	0.34	0.40	0.58
MX-M5051	1,500.00	5,118.21	5,400.00	126.00	429.93	454.00	82.00	279.80	295.00	0.50	1.71	1.80	0.10	0.34	0.40	0.78
MX-M5071/S	1,500.00	5,118.21	5,400.00	126.00	429.93	454.00	82.00	279.80	295.00	0.50	1.71	1.80	0.10	0.34	0.40	0.78
MX-M6051	1,500.00	5,118.21	5,400.00	134.00	457.23	482.00	87.00	296.86	313.00	0.50	1.71	1.80	0.10	0.34	0.40	0.90
MX-M6071/S	1,500.00	5,118.21	5,400.00	134.00	457.23	482.00	87.00	296.86	313.00	0.50	1.71	1.80	0.10	0.34	0.40	0.90
MX-M1055	3,550.00	12,113.10	12,780.00	350.00	1,194.25	1,260.00	301.00	1,027.05	1,084.00	1.20	4.09	4.30	0.20	0.68	0.70	15.10
MX-M1056	3,550.00	12,113.10	12,780.00	350.00	1,194.25	1,260.00	301.00	1,027.05	1,084.00	1.20	4.09	4.30	0.20	0.68	0.70	15.10
MX-M1205	3,550.00	12,113.10	12,780.00	354.00	1,207.90	1,274.00	305.00	1,040.70	1,098.00	1.20	4.09	4.30	0.20	0.68	0.70	16.70
MX-M1206	3,550.00	12,113.10	12,780.00	354.00	1,207.90	1,274.00	305.00	1,040.70	1,098.00	1.20	4.09	4.30	0.20	0.68	0.70	16.70
MX-M7570	1,920.00	6,551.31	6,912.00	200.00	682.43	720.00	146.00	498.17	526.00	0.90	3.07	3.20	0.10	0.34	0.40	5.40
MX-M905	3,550.00	12,113.10	12,780.00	327.00	1,115.77	1,177.00	283.00	965.64	1,019.00	1.10	3.75	4.00	0.20	0.68	0.70	12.20

*1 BTU/hr is a calculation based on the power consumption

*2 TEC values are measured in accordance with ENERGY STAR® Program Requirements for Imaging Equipment Version 3.0. All other values are measured in accordance with the method specified in Blue Angel RAL-UZ 171.

Energy Consumption A4

Model	Max Power Consumption			Ready Mode			Preheat Mode			Auto Power Shut-Off Mode (Sleep Mode)			Plugged In (Off Mode)			TEC Value ² (kWh)
	Power Consumption (W)	BTU/hr*	Heat (released) (KJ/h)	Power Consumption (W)	BTU/hr*	Heat (released) (KJ/h)	Power Consumption (W)	BTU/hr*	Heat (released) (KJ/h)	Power Consumption (W)	BTU/hr ⁻¹	Heat (released) (KJ/h)	Power Consumption (W)	BTU/hr ⁻¹	Heat (released) (KJ/h)	
MX-B350P	1,440.00	4,913.48	5,184.00	88.00	300.27	317.00	67.00	228.61	241.00	1.30	4.44	4.70	0.10	0.34	0.40	1.90
MX-B450P	1,440.00	4,913.48	5,184.00	87.00	296.86	313.00	66.00	225.20	238.00	1.90	6.48	6.80	0.10	0.34	0.40	2.50
MX-B376W/H	1,440.00	4,913.48	5,184.00	108.00	368.51	389.00	87.00	296.86	313.00	0.60	2.05	2.20	0.10	0.34	0.40	0.52
MX-B476W/H	1,440.00	4,913.48	5,184.00	122.00	416.28	439.00	98.00	334.39	353.00	0.60	2.05	2.20	0.10	0.34	0.40	0.64
MX-B427W	640.00	2,183.77	2,304.00	7.50	25.59	27.00	N/A	N/A	N/A	1.10	3.75	4.00	0.10	0.34	0.40	0.54
MX-B427PW	640.00	2,183.77	2,304.00	4.90	16.72	18.00	N/A	N/A	N/A	0.90	3.07	3.00	0.10	0.34	0.40	0.45
MX-B467F	745.00	2,542.05	2,682.00	14.50	49.48	52.00	N/A	N/A	N/A	1.41	4.81	5.00	0.10	0.34	0.40	0.63
MX-B467P	745.00	2,542.05	2,682.00	8.00	27.30	29.00	N/A	N/A	N/A	1.31	4.47	5.00	0.10	0.34	0.40	0.58
MX-B557P	1,035.00	3,531.57	3,726.00	21.50	73.36	77.00	N/A	N/A	N/A	1.40	4.78	5.00	0.20	0.68	0.70	0.70
MX-B707P	1,035.00	3,531.57	3,726.00	21.00	71.65	76.00	N/A	N/A	N/A	1.40	4.78	5.00	0.20	0.68	0.70	0.92
MX-B557F	975.00	3,326.84	3,510.00	32.10	109.53	116.00	N/A	N/A	N/A	1.80	6.14	6.00	0.20	0.68	0.70	0.80
MX-C300W	1,100.00	3,753.36	3,960.00	100.00	341.21	360.00	87.00	296.86	313.00	2.00	6.82	7.20	0.10	0.34	0.40	2.00
MX-C303W/H	1,440.00	4,913.48	5,184.00	120.00	409.46	432.00	108.00	368.51	389.00	0.80	2.73	2.90	0.10	0.34	0.40	1.90
MX-C304W/H	1,440.00	4,913.48	5,184.00	120.00	409.46	432.00	108.00	368.51	389.00	0.80	2.73	2.90	0.10	0.34	0.40	1.90
MX-C357F	610.00	2,081.41	2,196.00	24.30	82.92	87.00	N/A	N/A	N/A	1.44	4.91	5.00	0.20	0.68	0.70	0.51
MX-C407P	600.00	2,047.28	2,160.00	22.50	76.77	81.00	N/A	N/A	N/A	1.42	4.85	5.00	0.20	0.68	0.70	0.55
MX-C407F	1,020.00	3,480.38	3,672.00	40.60	138.53	146.00	N/A	N/A	N/A	1.67	5.70	6.00	0.20	0.68	0.70	0.63
MX-C507F	1,020.00	3,480.38	3,672.00	42.70	145.70	154.00	N/A	N/A	N/A	1.67	5.70	6.00	0.20	0.68	0.70	0.74
MX-C507P	1,000.00	3,412.14	3,600.00	45.00	153.55	162.00	N/A	N/A	N/A	2.23	7.61	8.00	0.20	0.68	0.70	0.85
MX-C607P	910.00	3,105.05	3,276.00	45.40	154.91	163.00	N/A	N/A	N/A	1.34	4.57	5.00	0.20	0.68	0.70	0.88
MX-C428F	765.00	2,610.29	2,754.00	31.50	107.48	113.00	N/A	N/A	N/A	1.20	4.09	4.32	0.10	0.34	0.55	0.53
MX-C528F	765.00	2,610.29	2,754.00	32.00	109.19	115.00	N/A	N/A	N/A	1.20	4.09	4.32	0.10	0.34	0.69	0.69
MX-C528P	760.00	2,593.23	2,736.00	25.00	85.30	90.00	N/A	N/A	N/A	1.00	3.41	3.60	0.10	0.34	0.65	0.63

¹ BTU/hr is a calculation based on the power consumption

² TEC values are measured in accordance with ENERGY STAR® Program Requirements for Imaging Equipment Version 3.0. All other values are measured in accordance with the method specified in Blue Angel RAL-UZ 171.



LES OLSON IT

For more information
click or call **801-452-7988**