

# SHARP®

## DESKTOP COLOR DOCUMENT SYSTEMS



MX-C357F

Sharp desktop color document systems deliver leading-edge integration and powerful productivity, all in a small compact design.

## A HIGHER BENCHMARK OF INNOVATION

performance

The MX-C357F desktop color document system delivers crisp, high-quality output with exceptional ease of use. This model provides customers with an intuitive user experience and the confidence of knowing their jobs will come out right the first time, every time. Designed with robust technology and software typically found on larger machines, the compact MX-C357F delivers the productivity you need with the performance and reliability you want in your workplace or home office.

### Key Features

- **Ease of Use** – Intuitive 4.3" (diagonal) touchscreen display offers a user-friendly graphical interface with simplified Easy Modes, integrated user guides and quick access to network services.
- **Productivity** – Out-of-the-box copy, print, scan and fax capabilities standard plus **Cloud Connect** features and optional wireless connectivity enables users to easily manage their workflow from PCs, smartphones and tablets.
- **Workplace Friendly** – Integrates seamlessly with today's complex network environments and supports popular cloud services and mobile technologies. Sharp utilizes system updates to provide feature enhancements and to ensure your machine remains compatible with current technology.

The compact MX-C357F desktop color document system offers powerful productivity features enabling users to quickly execute workflow tasks whether in the office, or working from home.





# DESIGNED TO DELIVER HIGH PRODUCTIVITY



## INTUITIVE INTERFACE

## VERSATILE DESIGN

## OUT-OF-THE-BOX PRODUCTIVITY

## Reliable Document System that meets tomorrow's business needs today.

- Standard **copy, print, scan** and **fax** capability right out-of-the-box.
- **Compact design** easily fits into small offices or home workspaces in desktop or console configuration.
- **50-sheet** reversing single pass feeder **scans at speeds up to 50 images per minute.**
- Supports **letter size, legal size and envelopes** through the standard paper drawer or bypass tray.
- Offers up to **four paper sources** with available 1,451-sheet maximum paper capacity.
- **1,200 x 1,200 dpi** printing delivers clear, crisp images and text page after page.
- **4.3" (diagonal) color touchscreen** with adjustable viewing angle offers smooth, tablet-style interaction.



- Optional **compact PDF** feature dramatically reduces the file size of most color scanned documents.
- Convenient front-facing **USB** port for **easy direct printing** of PDF files from a USB drive without having to access a PC.
- Print **Microsoft® Word, Excel®, or PowerPoint®** files directly from a mobile device, USB drive, or file server.
- **Optical character recognition (OCR)** compatibility available via third-party applications, allows users to convert a scanned document into a searchable PDF file or into an editable Word file.
- **Supports popular mobile technologies**, enabling users to easily print files from smartphones, tablets and even notebook computers.
- Protect your intellectual property: **A wide range of security features** help to keep your information safe, whether it's in a document, on the device, or over your network.
- **Sharp Remote Device Manager (SRDM)** allows administrators to have centralized control of the networked MFP in order to simplify installation and management.

# MX-C357F SPECIFICATIONS

## Main Specifications

<b>MX-C357F</b>	Base model includes 50-sheet RSPF, PCL® 6 and PostScript® 3™ printing systems, network scanning, auto duplexing, 1 x 250-sheet paper drawer, 1-sheet bypass tray. Imaging kits and starter tone included.
<b>Type</b>	Desktop color multifunction printer
<b>Display</b>	4.3" (diagonal) color dot matrix high-resolution touchscreen
<b>Functions</b>	Copy, print, network print, network scan and fax
<b>Originals</b>	Sheets and bound documents
<b>Max. Original Size</b>	8½" x 14"
<b>Output Size</b>	Min. 5½" x 8½", Max. 8½" x 14"
<b>Copy Speed</b>	35 ppm (8 1/2" x 11")
<b>First Copy Time (in seconds)<sup>2</sup></b>	Platen Glass: Mono 8.5, Color 10 Doc Feeder: Mono 9, Color 9.5
<b>Magnification</b>	25% to 400% in 1% increments
<b>Original Feed</b>	50-sheet RSPF
<b>Scan Speed</b>	Up to 50 ipm (Mono)/32 ipm (Color)
<b>Original Sizes</b>	5½" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business card
<b>Paper Capacity</b>	Standard: 251 sheets/Maximum: 1,451 sheets
<b>Paper Feed System<sup>2</sup></b>	Standard: (1) 250-sheet paper drawers (letter/legal/statement size/ envelopes/labels), labels System and 1-sheet bypass tray (letter/legal/statement/envelope size). Optional: (1) 650-sheet duo drawer (550-sheet + 100-sheet bypass), (1) 550-sheet paper drawer (letter/legal/statement size/labels)
<b>Paper Weights and Types</b>	Standard and optional paper drawers: Plain paper 16-24 lb. bond, Heavy paper 28 lb. bond - 80 lb. cover. Other paper types include plain, recycled, pre-punched, letterhead, pre-printed, color, gloss, cardstock, 16-28 lb. envelopes (only duo drawer) and 58 lb. bond labels. Bypass tray: 16-20 lb. bond (thin paper), 20-24 lb. bond (plain paper), 24lb. bond-65 lb. cover (heavy paper), 20-24 lb. bond, cardstock and envelopes.
<b>Duplexing</b>	Standard automatic duplex copying and printing
<b>CPU</b>	1 GHz multi-processor design
<b>Interface<sup>1</sup></b>	RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0: 2 host, high speed ports, (front), wireless LAN optional (IEEE 802.11 a/ac/b/g/n)
<b>Memory</b>	Standard: 2 GB/Maximum: 6 GB
<b>Hard Disk Drive</b>	Optional 500 GB
<b>Copy Resolution</b>	Up to 600 x 600 dpi
<b>Copy Features</b>	Scan-once print many, electronic sorting, Auto Paper Selection (APS), Auto Magnification (AMS), darkness, save as shortcut, auto center, background removal, contrast, mirror image, negative image, scan edge-to-edge, shadow detail, sharpness, color dropout, job build (with HDD), cover page setup, edge erase, header/footer, margin shift, overlay, separator sheets.
<b>Account Control</b>	Supports user authentication via user-number
<b>Output Tray</b>	Center Exit Tray (Main): 300 sheets plain paper/ 50 envelopes Capacity
<b>Cloud Supported Services<sup>3</sup></b>	Google Drive, OneDrive for Business, SharePoint Online, Dropbox and Box.

## Main Specifications (continued)

<b>Network Protocols</b>	TCP/IP (IPv4, IPv6, TCP X, UDP X, IPSEC w/ IPv4 X, IPSEC w/ IPv6 X, ICMP X, IGMP X, 802.1x)
<b>Network and Data Security</b>	Includes IP address filtering, protocol filtering, port control, TLS Encryption, Kerberos, AES 256 bit data encryption, optional data overwrite (up to 3 times)
<b>Firmware Management</b>	Flash ROM with local (USB), network update capability and firmware update 1 to N
<b>Device Setup</b>	Web-based management/cloning with user/administrator level login
<b>Service/Functions</b>	Remote Front Panel, remote access to service logs and click counts
<b>Accessibility Features</b>	Free stop tilting front panel, adjustment of key touch sound and speed, document feeder free stop, job programs, and disable screen timeout
<b>Environmental Standards</b>	International ENERGY STAR Program Ver. 3.0, European RoHS, Blue Angel (RAL-UZ205)
<b>Power</b>	110-127V AC, 60 HZ, 12 A receptacle
<b>Power Consumption</b>	1.44 KWh
<b>Weight</b>	60 lbs.
<b>Dimensions</b>	17.4" (w) x 23.1" (d) x 18.2" (h)
<b>Network Printing System</b>	
<b>PDL</b>	Standard PCL 6 and PostScript 3 compatible
<b>Resolution</b>	1,200 x 1,200 dpi
<b>Print Speed</b>	35 ppm (8 1/2" x 11")
<b>Print Drivers</b>	Windows® 7, Windows 8.1, Windows 10, Windows Server® 2008, Windows Server 2012, Windows Server 2016, Windows Server 2019, Windows PPD, MAC OS® (including 10.10 to 10.15), all MAC PPD, UNIX®, Linux® PPD, Universal Print (requires Microsoft connector)
<b>Mobile Printing</b>	AirPrint, Android printing framework
<b>Print Features</b>	Auto configuration, bar code font printing, confidential print, custom image registration, different cover page/last page/other page, document filing, duplex printing, electronic sorting, form overlay, image rotation, image type, job retention, layout print, N-up printing, pamphlet style, proof print, stapling, toner save mode, tray status, user authentication, watermarks, zoom print.
<b>Direct Printing</b>	File Types: BMP, DCX, DOC/DOCX, GIF, JPEG, PCX, PDF, PNG, PPT/PPTX, TIFF, XLS/XLSX, XPS. Methods: FTP, SMB, Web page and USB memory
<b>Resident Fonts</b>	89 fonts (PCL), 158 fonts (PS)
<b>Operating Systems and Environments</b>	Windows 7, Windows 8, Windows 8.1, Windows 10, Windows Server 2008, Windows Server 2010, Windows Server 2012, Citrix®, Linux, UNIX
<b>Printing Protocols</b>	LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, LPD and LPR for Unix
<b>Network Scanning System</b>	
<b>Scan Modes</b>	Standard: color, monochrome and grayscale

## Network Scanning System (continued)

<b>Max. Original Size</b>	8½" x 14"
<b>Optical Resolution</b>	600 dpi
<b>Output Modes</b>	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 75 dpi
<b>Image Compression</b>	Color Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) Color/Grayscale: JPEG (high, middle, low)
<b>Image Formats</b>	JPEG, PDF, PDF/A-1a/1b, compact PDF, searchable PDF, encrypted PDF, TIFF, XPS
<b>Scan Destinations</b>	Email, Desktop, FTP, Folder (SMB), USB, Super G3 fax
<b>Scanning Protocols</b>	HTTP/HTTPS, FTP/FTPS, SMTP/SMTPS/SSL/ESMTP, POP3, LDAP, S/MIME
<b>Software</b>	Optional third party applications
<b>Super G3 Facsimile Function</b>	
<b>Communication Line</b>	Public Switched Telephone Network (PSTN) or Analog PABX (RJ-11)
<b>Transmission Mode</b>	Super G3, G3
<b>Modem Speed</b>	Maximum 33.6 KBPS with auto fallback
<b>Compression</b>	JBIG, MMR, MR, MH
<b>Scanning Method</b>	Sheet fed or manual feed from platen glass
<b>Transmit Resolution</b>	600 x 600 dpi (ultra-fine), 300 x 300 dpi (super-fine), 200 x 200 dpi (fine), 200 x 100 (standard)
<b>Transmit Speed</b>	Approx. 3 seconds per page in Super G3 mode
<b>Auto Dialing</b>	Up to 500 destinations (combined)
<b>Group Dialing</b>	Up to 500 groups
<b>Inbound Fax Routing</b>	To email address, FTP or SMB using Transmit Terminal Identification (TTI), also Document Administration function can send blind copy of transmissions and receptions to an administrator email address, FTP or SMB location.
<b>Max. Original Length</b>	Up to 14"
<b>Memory<sup>1</sup></b>	18 MB (with optional HDD)
<b>Features</b>	Transaction Reports, Activity Reports, PC Fax, Quick On-line Transmission, Inbound Fax Routing, Anti-junk Fax Reception, Fax Release, Out-of-Paper Memory Reception, Auto Redial, Auto Exposure, Chain Dialing, Duplex Reception, Fax Forwarding, Color Page, Color Fax and Scan Preview (with HDD).

## Optional Equipment

<b>MX-CS18</b>	550-sheet Paper Feed Unit
<b>MX-CS20</b>	650-sheet duo Paper Feed Unit

## Supplies

<b>MX-C35TB</b>	Black Toner Cartridge
<b>MX-C35TC</b>	Cyan Toner Cartridge
<b>MX-C35TM</b>	Magenta Toner Cartridge
<b>MX-C35TY</b>	Yellow Toner Cartridge
<b>MX-C35DU-B</b>	Black Imaging Kit
<b>MX-C35DU-S</b>	Black and Color Imaging Kit

<sup>1</sup> Some features require optional equipment. See your local dealer.

<sup>2</sup> May vary depending on product configuration, machine settings and operating and/or environmental conditions.

<sup>3</sup> May not yet be available for all models. Please contact a Sharp representative for further details.



Click for more information about  
**Sharp Printers and Copiers**  
 or call **801-452-7988**.



SHARP ELECTRONICS CORPORATION  
 100 Paragon Drive, Montvale, NJ 07645  
 1-800-BE-SHARP • www.sharpsusa.com

Sharp, Sharp OSA, Sharpdesk, My Sharp, and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Microsoft, Office 365, Active Directory, Windows, Windows Server, Excel, PowerPoint, OneDrive, and SharePoint are trademarks or registered trademarks of Microsoft Corporation. Android, Chrome, Gmail, Google Drive and Chromebook are trademarks or registered trademarks of Google LLC. Adobe, the Adobe logo, PostScript, and PostScript 3 are either registered trademarks or trademarks of Adobe in the United States and/or other countries. All other trademarks are the property of their respective owners. Design and specifications subject to change without notice.